

# CERTIFICATE OF ANALYSIS

Product: Sodium Hydroxide (all sizes)

ID 2000: D45994

Batch# 020372 - 264029

Date Tested: December 1, 2025

Property	Unit	Value	Lower Limit	Upper Limit	Method
Fe	Ppm	2.6		15.0	ICP
Hg	Ppb	1.0		100.0	NP 04 18
Na <sub>2</sub> CO <sub>3</sub>	%wt	0.28		1.60	CD-27-1
Na <sub>2</sub> O	%wt	76.92	74.40		CD-27-1
NaCl	%wt	0.02		2.20	CD-18-9B
NaOH	%	99.28	96.00		CD-27-1
Ni	Ppm	1.0		9.0	ICP
Thru 16 Mesh	%wt	99.4	90.0		NP-05-14
Thru 60 Mesh	%wt	0		2	NP-05-14

Certified



Derek G. Hodges  
 President & CEO  
 ESSENTIAL DEPOT INC.

Batch specific CoA is available upon request only.

**IMPORTANT:** All information provided is believed to be accurate and complete. The data provided is representative of the product quality on the date of analysis for the lot number indicated. This certificate of analysis may not include all the constituents of the product. Persons using this information should make their own determination regarding its suitability for their application. This certificate of analysis shall not in any way limit or preclude the operation and effect of the applicable terms and conditions of sale.