

SAFETY DATA SHEET
Creation Date: 9-2-2016

SECTION: 1.1 PRODUCT IDENTIFICATION

Product Name: Zinc Oxide, Zinc Oxide Powder, ZNO-1LB-POWDER-FREESHIP, ZNO-1LBPOWDER-PURE, ZNO-10oz-POWDER-PURE

Common Uses: Sunscreen, rubber compounding, zinc chemical manufacturing, paint and coating, pharmaceuticals, agriculture, electronics, ceramics

UN #: 3077

CAS #: 1314-13-2

SECTION: 1.2 COMPANY IDENTIFICATION

Company: Essential Depot, Inc.
2029 US Hwy 27 S
Sebring, Florida 33870

Phone: 866-840-2495

Emergency Phone: CHEMTREC, Inside the USA: 1-800-424-9300

SECTION: 2. COMPOSITION / INFORMATION INGREDIENTS

Note: all other constituents are found at trace levels, for further information please consult the individual product grade TDS.

Compositions:	Component Name	Identifiers	% Composition
	Zinc Oxide (ZnO)	CAS: 1314-13-2 EC215-222-5	95-100

SECTION: 3. HAZARDS IDENTIFICATION

Classification of the substance or mixture: Not transport regulated in the U. S. A.

GHS Classification: Aquatic Chronic 1, H410

GHS Labeling: Zinc Oxide. Signal word: Warning.
H410: Very toxic to aquatic life with long lasting Effects.
P273: Avoid release to the environment.

SAFETY DATA SHEET

Creation Date: 9-2-2016

P391: Collect spillage.

P501: Dispose of contents/container as hazardous or special waste in accordance with applicable law.



SECTION: 4. FIRST AID MEASURES

Skin Contact:	Immediately wash with soap and water. Seek medical attention if irritation occurs.
Eye Contact:	Immediately flush eyes with plenty of water. Get medical attention if irritation occurs.
Ingestion:	Drink plenty of water. Do not induce vomiting. Seek medical attention or contact Poison Control.
Inhalation:	Remove victim to fresh air. Seek medical attention if feeling unwell or experiencing respiratory distress
Most important symptoms and effects, both acute and delayed:	Acute: Dry cough, headache, throat irritation Delayed: No delayed symptoms or effects expected
Indication of any immediate medical attention and special treatment needed:	Bad cough, headache, and/or nausea. Move effected individual to fresh air.

SECTION: 5. FIRE FIGHTING MEASURES

Suitable Extinguishing media:	Use an extinguishing media suitable for the surrounding fire
Unsuitable Extinguishing Media:	None Known

SAFETY DATA SHEET

Creation Date: 9-2-2016

Hazards from the substance:

Decomposition products may include Zinc Oxide fumes at high temperatures

Hazardous thermal decomposition products:

None identified.

Special protective actions for fire-fighters:

No special measures required

Special protective equipment for fire-fighters:

Suitable breathing apparatus

SECTION: 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust. Refer to Section 7 and Section 8 for advice on handling/storage and PPE

Spill Cleanup Recommendation:

Avoid dry sweeping or other methods which raise dust. Vacuum or wet-sweep and place into a suitable closable, labeled container for disposal. Dispose of waste via licensed waste disposal contractor.

Environmental Precautions:

Prevent contamination of soil, drains, and surface water. Inform relevant authorities of spill where required.

SECTION: 7. HANDLING AND STORAGE

Precautions for Safe Handling:

This product should be used in accordance with good industrial safety practices and industrial hygiene standards and all local, state, federal, and international regulations. Avoid creating airborne dust. Ensure adequate exhaust ventilation. Workers who handle material should wear gloves and thoroughly wash hands/forearms after exposure. See Section 8.2 if exposure exceeds limits.

Conditions for Safe Storage/Instabilities:

This product should be stored in accordance with all local, state, federal and international regulations. Store in a cool, dry, well-ventilated space sealed tightly in the original containers. Protect containers from damage and repair if damage occurs. Use all product within 1 year.

SAFETY DATA SHEET
 Creation Date: 9-2-2016

SECTION: 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational Exposure Limits:

Product/Ingredient Name	Exposure limit values (8 hour TWA)
Zinc Oxide (U.S.A. OSHA PEL)	5 mg/m ³ (fumes) 15mg/m ³ (dust; total) 5 mg/m ³ (dust; respirable)
Zinc Oxide (U.S.A. NIOSH IDLH)	500 mg/m ³

- Respiratory Protection:** Avoid creating dust. If exposure levels exceed limits, respiratory protection approved for the work being performed must be worn.
- Hand Protection:** Always wear glove approved for the work being performed when handling Zinc Oxide.
- Skin Protection:** Wear normal chemical work clothing.
- Eye Protection:** Always wear approved protective eyewear if there is a potential for dust being created while handling the material.
- General Protective Hygiene Measures:** Use local exhaust ventilation to pro-actively reduce dust levels.
- Route(s) of entry:** Inhalation and mechanical irritation of eyes and skin
- Carcinogen Status:** Not a NTP/IARC carcinogen
- Signs and symptoms of Exposure:** Dry throat, cough, and dry itchy skin
- Notes:** Excess bulk exposure may cause acute respiratory irritation or dry skin

SECTION: 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance:** White, cream, or yellowish color
- Description:** Fine powder or pelletized powder
- Typical Particle Size:** 0.1 µm – 5 µm
- Flammability Limits:** Zinc Oxide is not flammable
- Explosive Limits:** Zinc Oxide is not explosive
- Odor:** Odorless

SAFETY DATA SHEET

Creation Date: 9-2-2016

Vapor Pressure:	@ 1500C = 12 mm HG
Odor Threshold:	Odorless
Vapor Density:	N/A
pH:	Neutral
Relative Density:	Varies
Melting point:	1975 °C
Solubility in water:	Negligible
Boiling Point:	N/A
Flash Point:	Not flammable
Evaporation Rate:	N/A
Specific Gravity:	5.68
Molecular Weight:	81.38
Suggested Solvents:	Acids and bases
Fire qualities:	Will not burn
Explosive Qualities:	Not explosive
Volatile:	0.3% nominal

SECTION: 10. STABILITY AND REACTIVITY

Reactivity:	Stable under normal, dry conditions
Chemical stability:	This product is stable
Possibility of hazardous reactions:	None
Conditions to avoid or incompatible materials:	Heated magnesium. Chlorinated rubbers above 215C
Hazardous decomposition products:	Potential for ZnO fumes at elevated temperatures

SAFETY DATA SHEET
 Creation Date: 9-2-2016

SECTION: 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

- Routes of Entry:** Oral, Inhalation
- Acute Toxicity:** LD50(rat, Inhalation): 7,950 mg/kg (Encyclopedia of Toxicology: Reference Book 2005)
- Chronic Toxicity:** NOAEL: 50 mg/day (based on human clinical studies)
- Mutagenicity:** No data available
- Carcinogenicity:** No data available. Not listed as an IARC Carcinogen. Not listed in the NTP report on carcinogens.

Acute Exposure Symptoms

- Eye Contact:** Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes
- Inhalation:** Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the respiratory tract
- Skin Contact:** No known significant effects or critical hazards
- Ingestion:** No known significant effects or critical hazards

SECTION: 12. ECOLOGICAL INFORMATION

Toxicity

Product Name	Result	Species	Dose	Exposure	Reference
Zinc Oxide	LC50 Inhalation Dusts and mists	Rat	>5.7mg/L	4 Hours	Klimisch and Freisberg (1982)
Zinc Oxide	LD50 Oral	Rat	15000mg/kg	N/A	Löser (1972)
Zinc Oxide	LD50 Oral	Rat	>5000mg/kg	N/A	Löser (1977)

- Persistence and degradability:** Not rapidly degradable
- Bio-accumulative potential:** No evidence to indicate significant bio-accumulative potential
- Mobility in soil:** No evidence to indicate significant mobility in soil

SAFETY DATA SHEET

Creation Date: 9-2-2016

Results of PBT and vPvB assessment:

ZnO is not PBT or vPvB.

Other adverse effects:

None

SECTION: 13. DISPOSAL CONSIDERATION

Waste treatment methods

Product:

Generation of product waste should be minimized wherever possible. Disposal of product, solutions, and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional or local authority requirements. Dispose of surplus and non-recyclable products via licensed waste disposal contractor. Waste should not be released into sewer system unless regulations permit such release

Containers/Packaging:

Generation of packaging waste should be minimized wherever possible. Waste packaging should be recycled when possible. Incineration and/or landfill dumping should only be considered when recycling isn't feasible. Make sure to follow all local, state, federal, and international regulations when disposing of packaging materials.







SECTION: 14. TRANSPORT INFORMATION

NAFTA Tariff Class: 2817.00.0000, Sched. B.
Country of Origin: U.S.A.
Responsible party: Essential Depot Inc.
Classification code: M7 (Formerly: Item Number 12C)
Hazard identification / reconnaissance #: 90
NMFC Class: 55
USDOT Information: This material is not regulated

SAFETY DATA SHEET

Creation Date: 9-2-2016

EU Information

	ADR/RID	IMDG	IATA
UN Number	UN3077	UN3077	UN3077
UN proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE), MARINE POLLUTANT (ZINC OXIDE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE)
Transport hazard Class(es)	 	 	 
	Hazard Identification Number: 90	Sea (IMO): DG, MP	IATA Label: Miscellaneous
Packing Group	III	III	III
Environmental Hazards	Yes	Yes, Dangerous to the environment	Yes
Special precautions for users	No	No	Yes (see below)
Additional Information	Tunnel code (E)		
IATA special precautions for users	IATA- Passenger Aircraft:		400kg (packing group 956)
	IATA- Passenger Aircraft:		30kg (packing group Y956)
	IATA- Cargo Aircraft:		400kg (packing group 956)
	IATA-S.P.:		A97, A158, A179

*The EU diamond for Dangerous to the Environment has a red border. A copy of this document may not be in color resulting in the above border incorrectly being displayed in black.

SECTION: 15. REGULATORY INFORMATION

U.S.A. Regulations

USDOT:

Not Transport regulated, 49CFR172

SARA 302:

Yes, name listed (Zinc). RQ= None, TPQ= None

SARA311/312:

Yes, acute hazard, 29CFR1200

SAFETY DATA SHEET

Creation Date: 9-2-2016

SARA313:	Yes, Zn & Pb compounds
CA Prop.65:	Yes, Pb & Cd
CAA 112, 61 HAP:	No, not regulated, no HAP's
FIFRA 152 et seq.:	No (product is not subject to FIFRA)
CERCLA 102/103:	Name List, RQ=None
NSF 60/61:	Submitted NSF, UL
FCC:	Listed
CONEG:	Compliant
ODS/ODC 82:	No
TSCA:	Yes, on Inventory, Compliant with TSCA, Notification not required
RCRA 261:	If governing spec is >1000 ppm Pb or >20 ppm Cd, product must be TCLP tested for Pb and Cd to determine if waste product is subject to RCRA
USFDA:	Listed as GRAS at 21CFR182.8991

TSCA Equivalent 'inventory' regulations

AICS:	Yes
SWISS:	Yes
PICCS:	Yes
DSL:	Yes
NDSL:	Yes
ASIA-PAC:	Yes
EINECS:	Yes, on inventory
SLINCS:	No, notification/reporting not required

EU REACH Information

Product Origin:	01-2119463881-32-0075 (Tonnage >1000 t/year)
P.R.C. Pre-Registration #:	05-2114620034-66-0000
Brazil Pre-Registration #:	05-2114626885-37-0000

SAFETY DATA SHEET
Creation Date: 9-2-2016

SECTION: 16. OTHER INFORMATION

HMIS Hazard Rating (Paint and Coating Industry)

Health:	1 (Slight)
Flammability:	0
Reactivity:	0
Personal Protection:	E (in bulk dust conditions only. Gloves, mask, and googles are recommended.)

GHS Labeling

Zinc Oxide. Signal word: Warning.

H410:	Very toxic to aquatic life with long lasting effects.
P273:	Avoid release to the environment.
P391:	Collect spillage.
P501:	Dispose of contents/container as hazardous or special waste in accordance with applicable law.



SECTION: 17. DISCLAIMER

The information contained in this Certificate of Analysis and Safety Data Sheet is obtained from current and reliable sources. The information contained herein is true and to the best of ESSENTIAL DEPOT Inc. knowledge. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any Laws or Regulation. Final determination of the suitability of the material is the sole responsibility of the user. Customers should purchase products from ESSENTIAL DEPOT Inc. with the clear understanding that all products must be used at the customers own discretion and only after referencing Safety Data Sheets (SDS) and all other relevant technical information specific to

SAFETY DATA SHEET

Creation Date: 9-2-2016

the product. ESSENTIAL DEPOT Inc. shall not be held responsible for any damages to property or for any adverse physical effects (including injury or bodily harm) caused by insufficient knowledge or the improper use of a product. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of The products, including intellectual property rights of third parties. As with any manufacturing process, ESSENTIAL DEPOT Inc. strongly recommends small lab scale testing for evaluation purposes prior to full commercial manufacturing. The information on the ESSENTIAL DEPOT Inc. website is obtained from current and reliable sources but makes no representation as to its comprehensiveness or accuracy. Nothing contained herein should be considered as a recommendation by ESSENTIAL DEPOT Inc. as to the fitness for any use. As the ordinary or otherwise use(s) of this product is outside the control of ESSENTIAL DEPOT Inc., no representation or warranty, expressed or implied is made as to the effect(s) of such use(s) (including damage or injury), or the results obtained. The liability of ESSENTIAL DEPOT Inc. is limited to the value of the goods and does not include any consequential loss. ESSENTIAL DEPOT Inc. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon.

Creation Date: September 2, 2016

Revision Date: April 18, 2019